

**To:** Enck, Judith[Enck.Judith@epa.gov]  
**From:** Google Alerts  
**Sent:** Fri 1/13/2017 8:02:13 PM  
**Subject:** Google Alert - PFOA

## PFOA

Daily update □ January 13, 2017

### NEWS

#### Ivyland woman sues Navy after finding high PFOA blood level

Bucks County Courier Times

A health department worker takes a blood sample from a residents to have it tested for **PFOA** contamination in February 2016, at HAYC3 Armory, ...

   [Flag as irrelevant](#)

Hoosick Falls board votes to table settlement in PFOA crisis

NEWS10 ABC

A draft settlement agreement which entitles Hoosick Falls to \$850,000 from Saint-Gobain and Honeywell for **PFOA** contamination. "We're talking ...

Vote on PFOA settlement delayed in Hoosick Falls - WRGB

Village tables vote on PFOA proposal - Albany Times Union

Decision Delayed on Hoosick Falls PFOA Settlement - TWC News

Full Coverage

   [Flag as irrelevant](#)

Three wells in Kingston showing elevated PFOA levels, DES says

WMUR Manchester

City leaders in Manchester are meeting Tuesday night with residents worried about water contamination after a chemical was found in one well in the ...

   [Flag as irrelevant](#)

Schuren slated to leave DEC

Rutland Herald

Phil Scott has promised he is committed to responding to the **PFOA** contamination in North Bennington and Bennington but he will do it without the ...

   [Flag as irrelevant](#)

Test results show PFCs found in surface water near Coakley

Seacoastonline.com

Jeff Barnum, CLF's Great Bay-Piscataqua waterkeeper, said CLF conducted tests for two forms of PFCs — **PFOA** and PFOS. He said surface water ...

   [Flag as irrelevant](#)

Editorial: Don't let them swindle you, Hoosick Falls

The Daily Gazette

Under the draft settlement with Saint-Gobain Performance Plastics and Honeywell International over the discharge of the chemical **PFOA** into the ...

   [Flag as irrelevant](#)

Landfill to cap 2 cells this year at cost of over \$2.5 million

The Decatur Daily

In 2011, the landfill began using specialized filtration equipment designed to remove the industrial chemicals perfluorooctanoic acid (**PFOA**) and ...

   [Flag as irrelevant](#)

### WEB

## PFOA Community Meeting

Vermont Department of Health

The Vermont Department of Health will host a community meeting to discuss the results of the blood testing for **PFOA** in North Bennington. Additional ...

   [Flag as irrelevant](#)

You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)